

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

revision 03.05.2017 (GB) Version 8.6

Chlorifix (25 kg)

900189

## ! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product Chlorifix (25 kg)

900189

Name of substance troclosene sodium, dihydrate

 Index No
 613-030-01-7

 EC No
 220-767-7

REACH registration number 01-2119489371-33-xxxx

**CAS No** 51580-86-0

1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended intended purpose(s)

Product for disinfection and oxidation of pool water

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor BAYROL Deutschland GmbH

Robert-Koch-Str. 4, D-82152 Planegg

Phone +49 (0) 89 85701-0

**Advice** 

E-mail (competent person): ASchwarzenboeck@bayrol.eu

1.4. Emergency telephone number

NCEC, Phone (+44)(0)1865407333

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard Hazard Statements Classification procedure

categories

Acute Tox. 4 H302 Eye Irrit. 2 H319 STOT SE 3 H335

**Aquatic Acute 1** 

Aquatic Chronic 1 H410

**Hazard Statements** 

H302 Harmful if swallowed.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

## 2.2. Label elements



revision 03.05.2017 (GB) Version 8.6

Chlorifix (25 kg)

900189

## Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]





GHS07

GHS09

## Signal word

Warning

#### **Hazard Statements**

H302 Harmful if swallowed.

H319 Causes serious eye irritation.H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

## **Precautionary Statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P270 Do no eat, drink or smoke when using this product.

P280 Wear protective gloves/eye protection.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

P338 easy to do. Continue rinsing.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

## Hazardous ingredients for labeling

troclosene sodium, dihydrate

## Supplemental Hazard information (EU)

EUH031 Contact with acids liberates toxic gas.

## Special rules for supplemental label elements for certain mixtures

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

## 2.3. Other hazards

## Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

CAS No 51580-86-0

troclosene sodium, dihydrate

EC No 220-767-7

Index No 613-030-01-7

REACH registration number 01-2119489371-33-xxxx

## 3.2. Mixtures

not applicable



revision 03.05.2017 (GB) Version 8.6

Chlorifix (25 kg)

900189

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

Remove contaminated soaked clothing immediately and dispose it safely.

Symptoms of poisoning may not occur for hours, therefore medical supervision for at least 48 hours necessary. Adhere to personal protective measures when giving first aid.

## In case of inhalation

Remove the casualty into fresh air and keep him immobile.

Refer for medical treatment.

#### In case of skin contact

In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

## In case of eye contact

Rinse immediately with plenty of water for at least 15 minutes.

Call for a doctor immediately.

#### In case of ingestion

Do not induce vomiting.

Call for a doctor immediately.

Rinse out mouth and give plenty of water to drink.

## 4.2. Most important symptoms and effects, both acute and delayed

## Physician's information / possible dangers

May cause irritation of respiratory tract.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment (Advice to doctor)

Treat symptoms.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Large quantities of water

Carbon dioxide

sand

## Unsuitable extinguishing media

Small quantities of water

## 5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

In the event of fire the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Carbon dioxide (CO2)

Hydrogen chloride (HCI)

Chlorine (CI2)

## 5.3. Advice for firefighters

## Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

Wear full protective clothing.



revision 03.05.2017 (GB) Version 8.6

Chlorifix (25 kg)

900189

## **Additional information**

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## **SECTION 6: Accidental release measures**

## ${\bf 6.1.\ Personal\ precautions,\ protective\ equipment\ and\ emergency\ procedures}$

## For non-emergency personnel

Ensure adequate ventilation.

Avoid dust formation.

Use personal protective clothing.

Use breathing apparatus if exposed to vapours/dust/aerosol.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically and send for disposal.

## **Additional Information**

Neutralize active chlorine with suitable materials (Sulphite, Thiosulphate or hydrogen peroxide aqueous solution)

## 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8 Emergency telephone number: see section 1

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Avoid the formation and deposition of dust.

Use only in well-ventilated areas.

## **General protective measures**

Avoid contact with eyes and skin

Do not inhale dust.

#### Hygiene measures

At work do not eat, drink and smoke.

Keep away from food and drink.

Wash hands before breaks and after work.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking

Keep at distance of acids, reducing agents and organic substances (e.g.wood, paper, fat).

Avoid entering of water in shortage.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep only in original container.

## Advice on storage compatibility

Do not store together with food.

#### Further information on storage conditions

Keep container tightly closed.

Storage: cool and dry



revision 03.05.2017 (GB) Version 8.6

Chlorifix (25 kg)

900189

## Information on storage stability

Storage time: 5 years.

## 7.3. Specific end use(s)

Recommendation(s) for intended use

See section 1.2

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.2. Exposure controls

## Respiratory protection

In case of dust formation wear micro dust mask.

#### Hand protection

chemical-resistant gloves

Suitable materials (recommended: protection index 6, >480 minutes permeation time according to EN 374)

Nitrile-butadiene rubber (NBR) - 0.4 mm layer thickness

Butyl rubber (butyl) - 0.7mm layer thickness

In view of the many different types, the manufacturers' directions for use must be followed

#### Eye protection

tightly fitting goggles

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

**Appearance** Colour Odour granules white slight chlorine

**Odour threshold** 

not determined

#### Important health, safety and environmental information

,	Value	Temperature	at	Method	Remark
pH value	ca. 6,7	20 °C	10 g/l		
Boiling temperature / boiling range	not determined				
melting point	240 - 250 °C				
Flash point	not determined				
Vapourisation rate	not determined				
Flammable (solid)	not determined				
Flammability (gas)	not determined				
Ignition temperature	not determined				
Self ignition temperature	not determined				



revision 03.05.2017 (GB) Version 8.6

Chlorifix (25 kg)

900189

	Value	Temperature	at	Method	Remark
Lower explosion limit	not determined				
Upper explosion limit	not determined				
Vapour pressure	not determined				
Relative density	not determined				
Bulk density	ca. 1000 kg/m3				
Vapour density	not determined				
Solubility in water	250 g/l	25 °C			
Solubility/other	not determined				
Partition coefficient n- octanol/water (log P O/W)	not determined				
Decomposition temperature	not determined				
Viscosity	not determined				
Water content	ca. 8 %				
Solids content	> 99 %				
Oxidising properties No information available.					
Explosive properties  No information available.					
<b>9.2. Other information</b> No information available.					

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Thermal decomposition can lead to the escape of irritating gases and vapours.

## 10.2. Chemical stability

Decomposition temperature:

240°C - 250°C

## 10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gases.

## 10.4. Conditions to avoid

Reactions with combustible substances.

Reactions with acids.

Reactions with fats and oils.

Reactions with impurities.

Reactions with organic substances.



revision 03.05.2017 (GB) Version 8.6

**Chlorifix (25 kg)** 900189

10.5. Incompatible materials Substances to avoid

Oil Acid

10.6. Hazardous decomposition products

Nitrous gases Carbon monoxide Hydrogen chloride (HCI) Chlorine

Thermal decomposition

Remark >240 °C

**Additional information** 

Product may cause bleaching textiles, liners, paintings etc. Chlorine gas may decompose metals and is corrosive.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## Acute toxicity/Irritation/Sensitization

	Value/Validation	Species	Method	Remark
LD50 acute oral	ca. 1400 mg/kg	rat		
Skin irritation	low irritant effect - not necessary to label			
Eye irritation	irritant			

## **Subacute Toxicity - Carcinogenicity**

	Value	Species	Method	Validation	
Mutagenicity				No data available	
Reproduction- Toxicity				No data available	
Carcinogenicity				No data available	
Experiences made from Irritates respiratory trade Irritates mucous members	ct.				

## **SECTION 12: Ecological information**

12.1. Toxicity

**Ecotoxicological effects** 



## Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

revision 03.05.2017 (GB) Version 8.6

## Chlorifix (25 kg)

900189

	Value	Species	Method	Validation
Fish	LC50 0,25 - 0,46 mg/l (96 h)	diverse Spezies		M = 1
Daphnia	EC50 0,28 mg/l (48 h)	Daphnia magna		M = 1

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

## 12.4. Mobility in soil

No information available.

## 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6. Other adverse effects

## **General regulation**

Product is not allowed to be discharged into aquatic environment, drains or sewage treatment plants.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste code No.

Name of waste

16 05 09

discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

## Recommendations for the product

Remove in accordance with local official regulations.

Dispose of as hazardous waste.

The product should not be allowed to enter drains, water courses or the soil.

## Recommendations for packaging

Uncontaminated packaging may be taken for recycling.

## Recommended cleansing agent

Water

## **SECTION 14: Transport information**

-	ADD/DID	IMPO	LATA DOD
	ADR/RID	IMDG	IATA-DGR
14.1. UN number	3077	3077	3077
14.2. UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N. O.S. (troclosene sodium, dihydrate)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (troclosene sodium, dihydrate)	Environmentally hazardous substance, solid, n.o.s. (troclosene sodium, dihydrate)
14.3. Transport hazard class(es)	9	9	9
14.4. Packing group	III	III	III



revision 03.05.2017 (GB) Version 8.6

Chlorifix (25 kg)

900189

	ADR/RID	IMDG	IATA-DGR
14.5. Environmental hazards	Yes	Yes	Yes

## 14.6. Special precautions for user

No information available.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available.

## Land and inland navigation transport ADR/RID

Hazard label(s) 9 tunnel restriction code -Classification code M7

## **Marine transport IMDG**

MARINE POLLUTANT

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Authorizations

#### Other regulations (EU)

Regulation (EU) 1272/2008 (CLP), Regulation (EU) 1907/2006 (REACH), DECISION 2000/532/EG (list of wastes) Regulation (EU) 528/2012 (BPR)

## 15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

## Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

#### **Further information**

Refer to product information paper.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 8.5

## Sources of key data used

Results of own researches and examinations

Literature informations

Toxicity studies, NIOSH-Tox-Data

National legislation and regulation